





	A	B	C	D	E
	PART NUMBER	QNTY	DESCRIPTION	CONTRACT UNIT PRICE (EACH)	UNIT WEIGHT-lbs [†]
1					
2	<h2 style="text-align: center;">WESTERN SHELTER SYSTEMS</h2> <p style="text-align: center;"><i>An ISO 9001 Registered Company. Visit at www.WesternShelter.com</i></p> <p style="text-align: center;">Mailing Address: P.O. Box 2729 Shipping Address: 815 Conger Street Eugene, Oregon 97402 USA Telephone: 1-800-971-7201 • Toll-Free: 1-800-971-7201 • Fax: 1-541-284-2820</p> <h3 style="text-align: center;">GSA FEDERAL SUPPLY CONTRACT No. GS-07F-8700C</h3> <h4 style="text-align: center;">Effective March 1, 2009</h4> <p>NOTE: All GateKeeper Shelters Systems are pre-packaged with the essential components required to support all-hazard emergency field operations. If the pre-packaged GateKeeper system does not meet your needs, we recommend selecting your components from the Western Shelter product line.</p> <ul style="list-style-type: none"> • All GateKeeper and Western Shelters are interoperable with FEMA USAR and NDMS DMAT shelters, as well as most state and local disaster response agency shelters. Western Shelter Systems has been the primary supplier of shelters for FEMA since 1992. • All GateKeeper systems come complete with a rigid aluminum frame, insulated roof with vent cap, wall panels with fully-screened windows and privacy flaps, and an Easy-Sealing floor for each shelter. Double doors with threshold ramps and a Work Station desk set are standard. • Each GateKeeper is equipped with an interior 110V electrical wiring harness and in-line all-weather lights with Dimmer Sleeves™. Multiple shelter systems also include electrical distribution kits. • Each GateKeeper includes its own Vestibule Connector Kit to enable it to be connected to another GateKeeper or Western Shelter. • Storage/transport field bags for all pieces, high-wind tie-down stake kits, and vinyl repair kits are standard. • Optional equipment includes upgrade components for air pressure isolation, add-on 8'x8' entryways, vehicle connector boots, hygiene centers, HVAC and heaters, generators, showers, toilet systems, decontamination, storage and transport cases, and storage trailers with Command Centers. 				
3					
4					
5					
6					
7					
8					
9					
10					
11					
12					
13					
14					
15	PART NUMBER	QNTY	DESCRIPTION	CONTRACT UNIT PRICE (EACH)	UNIT WEIGHT-lbs [†]
16	GK1-20	1	GATEKEEPER I-20 ALL-HAZARDS EMERGENCY FACILITY is a pre-packaged, portable, all-hazards emergency field facility consisting of one 20-foot diameter octagonal shelter, which can be connected to other shelters by a Vestibule Connector to form a larger facility. A "mud-room" entryway can also be added. Logistical support equipment to operate and support the facility is included in the package price. Optional equipment, including air pressure isolation, is recommended based on your specific location and application requirements.	\$ 12,152	535
17	GK-20	1	Octagon Shelter - rigid-frame, 20'x20'x6' (wall height), 286 sq. ft. usable floor space, roof with aluminum roof vent cap system. Walls with 36"x36" fully-screened windows with interior privacy flaps.		
18	HO20-MFS	1	Main Frame Assembly - minus Eave Bars (EB20) & Base Bars (BB20)		






	A	B	C	D	E
1	PART NUMBER	QNTY	DESCRIPTION	CONTRACT UNIT PRICE (EACH)	UNIT WEIGHT-lbs†
19	EB20	8	Eave Bars - upper aluminum bars with black loop connection strip		
20	BB20	8	Base Bars - lower aluminum bars		
21	WC6	1	Vent Cap - standard		
22	GK-DO	1	46" double doorway		
23	GK20-LDD-B	1	Vinyl Wall Panel - Left of door		
24	GK20-RDD-A	1	Vinyl Wall Panel - Right of door		
25	GK20-BP-C	1	Vinyl Wall Panel - Back left		
26	GK20-BP-C	1	Vinyl Wall Panel - Back right		
27	HO20-RP	1	Vinyl Roof Panel		
28	FL-GK20	1	Flooring system - Easy-Sealing		
29	IN-GK20RP	1	Roof insulation		
30	GK-TR46	1	Threshold Ramp - 46", GateKeeper		
31	WS-WRGK20	2	Wiring Harnesses - 110V interior		
32	WS-T12ADDS	5	Lights - in-line, all-weather with Dimmer Sleeve™		
	DSK-20	1	Work Station - 94" long, Desk 26.5" wide, Shelf 10" wide, Integrated Wall Attachment, Self-contained Carry Case		
33					
34	AC-12	1	HVAC duct boots - 12" to 16" diameter intake		
	AC-12VD	1	HVAC duct boots - 12" to 16" diameter dropdown discharge		
35					
36	HWTSK-4	1	High-wind tie-down brackets and stakes kit with hammer (4 sets).		
37	WP-EXPAN	2	Expansion wall panels		
38	WS-VRK	1	Vinyl repair kit		
39		8	Storage and transport field bags		
40	VC-GK20-1935	1	Vestibule Connector - rigid-frame, 8'x8'x6' (wall height), 58 sq. ft. useable floor space.		
41	VSEB20	2	Vestibule Arched Eave Bars		
42	ARB20	1	Vestibule Arched Roof Bar		
43	VC-BBA	2	Vestibule Telescoping Base Bars		
44	VC-PTCA	2	3-part environmental partition		
45	VC-FL	1	Flooring system - Easy-Seal system		
46	VC-RP	1	Roof and roof insulation panels - integrated		
47		1	Storage and transport bag		
48					
49	GK1-1935	1	GATEKEEPER I-1935 ALL-HAZARDS EMERGENCY FACILITY is a pre-packaged, portable, all-hazards emergency field facility consisting of one 19x35-foot diameter octagonal shelter, which can be connected to other shelters by a Vestibule Connector to form a larger facility. A "mud-room" entryway can also be added. Logistical support equipment to operate and support the facility is included in the package price. Optional equipment, including air pressure isolation, is recommended based on your specific location and application requirements.	\$ 17,682	793
50	GK-1935	1	Stretched-Octagon Shelter - rigid-frame, 19'x35'x6' (wall height), 570 sq. ft. usable floor space, two aluminum roof vent caps. 36"x36" fully-screened windows with interior privacy flaps		
51	HS1935-MFS	1	Main Frame Assembly - minus Eave Bars (EB20) & Base Bars (BB20)		



	A	B	C	D	E
	PART NUMBER	QNTY	DESCRIPTION	CONTRACT UNIT PRICE (EACH)	UNIT WEIGHT-lbs [†]
1					
52	EB20	12	Eave Bars - upper aluminum bars with black loop connection strip		
53	BB20	12	Base Bars - lower aluminum bars		
54	WC6	2	Vent Cap - standard		
55	GK-DO	2	46" double doorways		
56	GK1935-LDS-2-B	2	Vinyl Wall Panel - Left of door		
57	GK1935-RDS-2-A	2	Vinyl Wall Panel - Right of door		
58	HS1935-RP	1	Vinyl Roof Panel		
59	FL-GK1935	1	Flooring system - Easy-Sealing		
60	IN-GK1935RP	1	Roof insulation		
61	GK-TR46	2	Threshold Ramp - 46", GateKeeper		
62	WS-WRGK20	4	Wiring Harnesses - 110V interior		
63	WS-T12ADDS	7	Lights - in-line, all-weather with Dimmer Sleeve™		
	DSK-20	1	Work Station - 94" long, Desk 26.5" wide, Shelf 10" wide, Integrated Wall Attachment, Self-contained Carry Case		
64					
65	AC-12	1	HVAC duct boots - 12" to 16" diameter intake		
	AC-12VD	1	HVAC duct boots - 12" to 16" diameter dropdown discharge		
66					
67	HWTSK-6	1	High-wind tie-down brackets and stakes kit with hammer (6 sets).		
68	WP-EXPAN	2	Expansion wall panels		
69	WS-VRK	1	Vinyl repair kit		
70		10	Storage and transport field bags		
71	VC-GK20-1935	1	Vestibule Connector - rigid-frame, 8'x8'x6' (wall height), 58 sq. ft. useable floor space.		
72	VSEB20	2	Vestibule Arched Eave Bars		
73	ARB20	1	Vestibule Arched Roof Bar		
74	VC-BBA	2	Vestibule Telescoping Base Bars		
75	VC-FL	1	Flooring system - Easy-Seal system		
76	VC-PTCA	2	3-part environmental partition		
77	VC-RP	1	Roof and roof insulation panels - integrated		
78		1	Storage and transport bag		
79					
80	WESTERN SHELTERS				
	NOTE: All Western Shelters come complete with rigid aluminum frame, roof with vent cap, and wall panels with screened windows. A single door is standard and double door(s) are optional. The HS Series has eight windows while the HO series has four windows. Optional items for a Western Shelter include floors, roof and wall insulation, interior electrical wiring harness, lighting, work stations, and high-wind tie-down kits. HS1935 and HO20 are interoperable with GateKeeper emergency medical systems. Tie-down kits sold separately.				
					
81					
82	PART NUMBER	QNTY	DESCRIPTION	UNIT PRICE (EACH)	
83	MODEL		SHELTER SIZE, FLOOR AREA, WEIGHT		
84	HO14	1	14' dia., 169 sq.ft., 170 lbs.	\$ 2,908	170
85	HO16	1	16' dia., 205 sq.ft., 195 lbs.	\$ 3,122	195
86	HO18	1	18' dia., 255 sq.ft., 225 lbs.	\$ 3,330	225
87	HO20	1	20' dia., 286 sq.ft., 275 lbs.	\$ 3,510	275
88	HS1527	1	15'x 27', 399 sq.ft., 340 lbs.	\$ 4,936	340
89	HS1935	1	19'x 35', 593 sq.ft., 430 lbs.	\$ 5,661	430

	A	B	C	D	E
1	PART NUMBER	QNTY	DESCRIPTION	CONTRACT UNIT PRICE (EACH)	UNIT WEIGHT-lbs†
90	OPTIONAL SHELTER EQUIPMENT and SERVICES				
91	ROOF IDENTIFICATION				
	ID-1x1935	1	Digital Roof Identification- One imprint on 1935 model roof. See separate art specification sheet for file type, size, and placement. Weight of imprinted roof will vary with size of design.	\$ 130	8
92	ID-2x1935	1	Digital Roof Identification- Two imprints on 1935 model roof. See separate art specification sheet for file type, size, and placement. Weight of imprinted roof will vary with size of design.	\$ 261	16
93	ID-1x20	1	Digital Roof Identification- One imprint on 20 model roof. See separate art specification sheet for file type, size, and placement. Weight of imprinted roof will vary with size of design.	\$ 102	7
94	ID-2x20	1	Digital Roof Identification- Two imprints on 20 model roof. See separate art specification sheet for file type, size, and placement. Weight of imprinted roof will vary with size of design.	\$ 204	14
95	ID-1xDoor	1	Digital Door Identification- One imprint on one shelter door. If double door, specify Left or Right side. See separate art specification sheet for file type, size, and placement.	\$ 64	4
96	ID-2xDoor	1	Digital Door Identification- Two imprints on shelter double doors. If two different logos, specify Left and Right door. See separate art specification sheet for file type, size, and placement.	\$ 128	8
97					
98					
99	HYGIENE CENTER KIT				
	HC-GK20-1935	1	GateKeeper Hygiene Center - connects to GateKeeper shelter at wall seam and doorway. Rigid-frame, 8'x8'x6' (wall height), 58 sq. ft. usable floor space. Partitioned into shower, toilet, and changing/sink areas. Stand-alone hot/cold water handling system. Does not require wall insulation.	\$ 10,940	446
100					
101	WS-S1A	1	Single-basin sink		
102	WS-BRTB	1	Toilet-In-A-Box with Brief Relief Kit		
103	WS-12A	1	Field Water Heater, Propane		
104	HC-2ST	1	Vinyl Hanging Shower and Toilet Stall Liner		
105	AEB20	1	Arched Eave Bar		
106	ARB20	1	Arched Ridge Bar		
107	VE-HCBB	1	Vest. Entry/Hygiene Center Base Bar		
108	VE-HCBBA	2	Vest. Entry/Hygiene Center Base Bar Assembly		
109	VE-HCEFA	1	Vest. Entry/Hygiene Center End Frame		
110	EB20	1	Eave Bar for HS1935/HO20		
111	HC-EC	1	Vented End Cover		
112	HC-WP	1	Vinyl Wall Panel- Wall Split		
113	VC-RP	1	Roof and Roof Insulation - Integrated		
114	HC-FL	1	Flooring system - Easy-Sealing		
115	HC-20PC	1	Privacy Curtain (not shown in drawing)		
116	ST-33	2	3' x 3' Rubber Shower Floor Mats		
117	WSD-SC	1	Shower Caddy		
118	WSD-DB	1	Dry Bag		
119		1	Storage and transport field bag		
120	WS-2020	1	Storage Case, 94"x18"x21" (for frame and vinyl)		



	A	B	C	D	E
1	PART NUMBER	QNTY	DESCRIPTION	CONTRACT UNIT PRICE (EACH)	UNIT WEIGHT-lbs [†]
121	WS-2060	1	Storage Case, 28"x34"x21" (for pumps and hoses)		
122	HWTSK-2	1	High-Wind Tie-Down Stake Kits (2 sets)		
123	WDK-HC	1	Field Water Distribution System		
124		1	Primary Water Distribution Pump with		
125		2	Sump Pump kits with polyester cases and shower switch boxes.		
126		1	Potable water bladder -150 gal.		
127		1	Gray water bladder - 150 gal.		
128		1	Potable Water Test kit		
129		1	Brass strainer/foot valve		
130			Fittings and hoses.		
131					
132	VESTIBULE CONNECTOR KITS				
133	VC-GK20-1935	1	GateKeeper Vestibule Connector- connects two GateKeeper shelters together. Rigid-frame, 8'x8'x6' (wall height), 58 sq. ft. usable floor space. Fits Models GK-20 and GK-1935. Note: All GateKeeper Shelter Systems include a Vestibule Connector. Order this item as replacement only. Connects to GateKeeper shelters at wall seams and doorways.	\$ 1,488	64
					
134	AEB20	2	Vestibule Arched Eave Bars		
135	ARB20	1	Vestibule Arched Ridge Bar		
136	VC-BBA	2	Vestibule Base Bar Assemblies		
137	VC-FL	1	Flooring system - Easy-Seal system		
138	VC-RP	1	Roof panel with integrated insulation		
139	VC-PTCA	2	3-part environmental partitions		
140		1	Storage and transport bag		
141					
142					
143	VESTIBULE ENTRYWAY KITS				
144	VE-GK20-1935	1	GateKeeper Vestibule Entryway - Connects to GateKeeper shelter at doorway and wall seam. When connected at wall seam, existing door from shelter complex must be used as entryway door. Rigid-frame, 8'x8'x6' (wall height), 58 sq. ft. usable floor space. Kit includes walls, floor, insulated roof panel, and required framing. Fits Models GK-20 and GK-1935.	\$ 2,228	110
					
145	AEB20	1	Vestibule Arched Eave Bar		
146	ARB20	1	Vestibule Arched Ridge Bar		
147	VE-HCBBA	2	Entryway Base Bar Assembly - 90° Side		
148	VE-HCEFA	1	Entryway End-frame		
149	VE-HCBB	1	Entryway Base bar		
150	EB-20	1	Eave Bar for HS1935/HO20		
151	HC-FL	1	Entryway Floor - Easy-Seal system		
152	VC-RP	1	Entryway Roof and roof insulation panels - integrated		
153	EV-LOD-WS	1	Entryway Wall Panel - Left of Door, Wall Split		
154	EV-ROD-WS	1	Entryway Wall Panel - Right of Door, Wall Split		
155	EV-LOD-DS	1	Entryway Wall Panel - Left of Door, Door Split		
156	EV-ROD-DS	1	Entryway Wall Panel - Right of Door, Door Split		
157	VC-PTCA	1	3-part environmental partition		
158	HWTSK-2	1	High-Wind Tie-Down Stake Kits (2 sets)		
159		2	Storage and transport bag		

	A	B	C	D	E
1	PART NUMBER	QNTY	DESCRIPTION	CONTRACT UNIT PRICE (EACH)	UNIT WEIGHT-lbs†
160	HIGH-WIND TIE-DOWN KITS AND PARTS				
161	STAKE KITS				
162	HWTSK-2	1	High-Wind Tie-Down Stake Kits (2 sets)	\$ 172	7
163	HWTSK-4	1	High-wind tie-down brackets and stakes kit with hammer (4 sets).	\$ 209	18
164	HWTSK-6	1	High-wind tie-down brackets and stakes kit with hammer (6 sets).	\$ 263	24
165					
166	VINYL FLOORING				
167	FL-HO14	1	Flooring System - HO14	\$ 442	
168	FL-HO16	1	Flooring System - HO16	\$ 442	
169	FL-HO18	1	Flooring System - HO18	\$ 475	
170	FL-HO20	1	Flooring System - HO20	\$ 475	36
171	FL-HS1527	1	Flooring System - HS1527	\$ 542	
172	FL-HS1935	1	Flooring System - HS1935	\$ 571	86
173					
174	DOOR OPTIONS				
175	WS-D22	1	Additional aluminum-framed standard door	\$ 469	25
176	WS-DO	1	46" wide double door option	\$ 251	36
177	WS-D46	1	Additional 46" wide double door	\$ 606	36
178					
179	DIVIDER WALLS				
180	DW-HO14	1	Divider Wall - HO14	\$ 205	
181	DW-HO16	1	Divider Wall - HO16, HS1527	\$ 219	
182	DW-HO18	1	Divider Wall - HO18	\$ 236	
183	DW-HO20	1	Divider Wall - HO20, HS1935	\$ 270	16
184					
185	THRESHOLD RAMPS				
186	WS-TR22	1	Single door threshold ramp - Western Shelter	\$ 90	6
187	WS-TR46	1	Double door threshold ramp - Western Shelter	\$ 117	9
188	GK-TR46	1	Double door threshold ramp - GateKeeper	\$ 117	10
189					
190	WORK STATIONS				
191	DSK-14	1	Work Station - HO14	\$ 519	46
192	DSK-16	1	Work Station - HO16, HS1527	\$ 519	48
193	DSK-18	1	Work Station - HO18	\$ 519	50
194	DSK-20	1	Work Station - HO/GK20, HS/GK1935	\$ 519	52
195					
196	BEDS - PATIENT AND MEDICAL SUPPLIES				
197	WS-WC400-18	1	Medical Cot, Westcot 18", Mattress, Store-On-Board IV Pole, 400 lb. Rating	\$ 326	30
198	WS-WC400-30	1	Medical Cot, Westcot 30", Mattress, Store-On-Board IV Pole, 400 lb. Rating	\$ 473	40
199	WS-BLK	1	Medical Cot, Bed Linen Kit, includes Mattress Sheet, Bed Sheet, Pillow w/case and Blanket (5-Per Case)	\$ 108	40
200	WS-BNK	1	Bunk Bed, storage and carrying bag	\$ 549	
201	GK-MOBAG	1	Medical supplies organizer - hanging bag	\$ 349	10

	A	B	C	D	E
1	PART NUMBER	QNTY	DESCRIPTION	CONTRACT UNIT PRICE (EACH)	UNIT WEIGHT-lbs†
202	OPTIONAL SUPPORT EQUIPMENT				
203	ELECTRICAL POWER, DISTRIBUTION and EQUIPMENT				
204	GENERATORS				
	DA7000SS	1	Generator – MQ Power WhisperWatt™ 7kW (120/240) Kubota diesel, 65dB(A) 6.6 gal (24.4 liter) fuel tank. Requires Hi-Amp Breaker Panel.	\$ 6,047	527
205					
206	GENCART7KW	1	Locking-wheeled handcart option - four 6" wheels	\$ 352	45
	DCA15SPX4C	1	Generator - MQ Power WhisperWatt™ 15kW (120/240) Isuzu diesel, 63dB(A), 16.4 gal. fuel tank. Requires Hi-Amp Breaker Panel.	\$ 14,199	1277
207					
208	GENCART15KW	1	Wheeled cart option - four 6" wheels, 2 with manual wheel locks.	\$ 249	66
209	TRLRMP	1	Trailer-mounted Option, Choose coupler type	\$ 1,408	370
	TRLRMPXF	1	Trailer mounted with 30 gal fuel tank, Choose coupler type.	\$ 2,117	470
210					
	DCA85USJ2C	1	Generator - MQ Power WhisperWatt™ 68kW (up to 480V). Ultra silent John Deere diesel, 62dB(A), 126 gal. fuel tank. Specify single or triple phase analog. California Emissions. Requires Hi-Amp Breaker Panel.	\$ 41,698.00	5094
211					
	TRLR85USH	1	Trailer mounted Option - 180 gal fuel tank, Hydraulic Brakes, Choose coupler type (2" ball, 2 5/16 ball, or pintle).	\$ 4,523.00	1175
212					
	TRLR85USE	1	Trailer mounted Option - 180 gal fuel tank, Electric Brakes, Choose coupler type (2" ball, 2 5/16 ball, or pintle).	\$ 4,523.00	1175
213					
214					
215	Electrical Distribution Panels				
216	WS-EDK50	1	Electrical Distribution Kit - 50 Amp	\$ 2,321	176
	CEP650GU	1	Power Distribution Box for use between Hi-Amp Power Distribution Panel and Internal Shelter Wiring Harness - 50 Amp - Six 20-amp 120V GFCI protected outlets, one 20-amp 240V protected outlet, 1-50 amp 240 volt feed-through.		
217					
218	WS-50A504W	2	50' power cables - 240V		
219	WS-20A503W	6	50' extension cords - 110V		
220	WS-2060	1	WS-2060 26"x30"x21" Storage Case		
221					
222	WS- PPDP100	1	Portable Power Distribution Panel - Made to specification.	\$ 2,653	36
223	WS- PPDP200	1	Portable Power Distribution Panel - Made to specification.	\$ 2,937	36
224	WS- PPDP300	1	Portable Power Distribution Panel - Made to specification.	\$ 4,548	200
225	WS- PPDP400	1	Portable Power Distribution Panel - Made to specification.	\$ 4,548	220
226	WS-PPDST	1	Portable Power Distribution Stand	\$ 349	8
227	CEP650GU	1	Power Distribution Box - 50 amp Spider Box	\$ 897	28
228					
229	WIRING HARNESSES				
230	WS-WR14	1	Wiring Harness- HO14	\$ 322	10
231	WS-WR16	1	Wiring Harness- HO16	\$ 322	12
232	WS-WR18	1	Wiring Harness- HO18	\$ 322	8
233	WS-WR20	1	Wiring Harness- HO20	\$ 322	8
234	WS-WR1527	1	Wiring Harness- HS1527	\$ 380	10
235	WS-WR1935	1	Wiring Harness- HS1935	\$ 397	12
236					
237	LIGHTING				
238	WS-T12	1	All-Weather stand-alone lamp	\$ 138	7
239	WS-T12DS	1	All-Weather stand-alone lamp with Dimmer Sleeve™	\$ 215	8

	A	B	C	D	E
1	PART NUMBER	QNTY	DESCRIPTION	CONTRACT UNIT PRICE (EACH)	UNIT WEIGHT-lbs†
240	WS-T12AD	1	All-Weather in-line lamp	\$ 182	8
241	WS-T12ADDS	1	All-Weather in-line lamp with Dimmer Sleeve™	\$ 252	9
242	WS-DS	1	Dimmer Sleeve™ for All-Weather lamp - includes two(2)	\$ 69	1
243					
244			CLIMATE CONTROL		
245	HVAC				
	WS-XE1200	1	HVAC, Completely self-contained and portable, it provides 3.5 tons of cooling and 42,000 Btu/hr. of heating. It has a supplemental 11,000 Btu/hr heat strip. UL listed for outdoor use and rated at 230V, single-phase power. 41"x57"x33", Intake Boot, Discharge Boot. Includes full-frame, wheeled transport cart and vinyl cover. To support supplemental heat strip below 40-degrees ambient requires additional 50 amp circuit. Recommend HVAC Air Plenum option. 20' ducts sold separately.	\$ 6,981	546
246	WS-XE1200ST	1	Stacking HVAC - Completely self-contained and portable, it provides 3.5 tons of cooling and 42,000 Btu/hr. of heating. It has a supplemental 27,000 Btu/hr heat strip. UL listed for outdoor use and rated at 230V, single-phase power. 41"x57"x33", Intake Boot, Discharge Boot. Includes full-frame, wheeled transport cart that enables a second HVAC unit to be stored above it to conserve space. Includes vinyl cover. To support supplemental heat strip below 40-degrees ambient requires additional 50 amp circuit. Recommend HVAC Air Plenum option. 20' ducts sold separately.	\$ 7,190	658
247					
248					
249	HEATER				
250	CV-125K	1	Heater Kit with 60,000 BTU, indirect-fired, tri-fuel heater	\$ 4,322	258
251	CV-125	1	60,000 BTU indirect fired tri-fuel heater	Included	
252	CAV-125	1	12" intake adapter	Included	
253	CAH-1020	2	12"x 20' heater duct	Included	
254	AC-12	2	HVAC duct boot- 12" to 16" duct boot intake	Included	
255	CAH-134-4	1	Remote thermostat	Included	
256	WS-2060	1	Storage Case, 26"x30"x21" - Stores ducts , adapters, and thermostat.	Included	
257					
258	CV-125	1	60,000 BTU indirect fired tri-fuel heater	\$ 2,463	166
259	CAV-125	1	12" intake adapter	\$ 213	4
260	CAH-1015	1	12"x 15' heater duct	\$ 265	
261	CAH-1020	1	12"x 20' heater duct	\$ 303	19
262	CAH-151	1	12" output "Y" adapter	\$ 260	8
263	CAH-134-4	1	Remote thermostat	\$ 80	2
264					
265	AIR DISTRIBUTION PLENUMS				
266	WS-20AP	1	Air Plenum - HO/GK20 shelter series	\$ 535	4
267	WS-1935AP	1	Air Plenum - HS/GK1935 shelter series	\$ 649	6
268					
269	SCREEN PANEL	1	Each Western Shelter brand screen wall panel. NOTE: Specify model, door configuration and panel placement when ordering. Recommend 2x panel for HO20 and 2x panels for HS1935.	\$ 168	10
270					
271	ELECTRIC VENTILATOR FANS				
272	WS-CV	1	Electric ventilator fan, fits all shelters	\$ 127	10

	A	B	C	D	E
1	PART NUMBER	QNTY	DESCRIPTION	CONTRACT UNIT PRICE (EACH)	UNIT WEIGHT-lbs†
273	INSULATION PACKAGES				
274	GateKeeper Sidewall Only Insulation (Roof insulation standard on all GateKeeper systems)				
275	IN-GK20-WP	1	Insulation - GK20, Wall Panels Only	\$ 1,078	60
276	IN-GK1935-WP	1	Insulation - GK1935, Wall Panels Only	\$ 1,350	76
277	IN-VE20-WP	1	Insulation - Entryway, Wall Panels Only	\$ 322	30
278	Complete Western Shelter Insulation Packages				
279	NOTE: Specify	1			
280	IN-HO14	1	Insulation package - HO14	\$ 1,010	
281	IN-HO16	1	Insulation package - HO16	\$ 1,059	
282	IN-HO18	1	Insulation package - HO18	\$ 1,127	
283	IN-HO20	1	Insulation package - HO20	\$ 1,260	84
284	IN-HO22	1	Insulation package - HO22	\$ 1,324	
285	IN-HS1527	1	Insulation package - HS1527	\$ 1,549	
286	IN-HS1935	1	Insulation package - HS1935	\$ 1,890	128
287	Western Shelter Roof Only Insulation				
288	IN-HO20RP	1	Insulation Roof Panel - HO20	\$ 879	34
289					
290	HVAC DUCTS AND PANELS				
291	AC-12	1	HVAC duct boot- 12" to 16" duct boot intake	\$ 71	1
292	AC-12VD	1	HVAC duct boot- 12" to 16" diameter dropdown discharge	\$ 126	2
293	WAC-12	1	12" window duct panel	\$ 71	2
294					
295	FIELD SHOWERS AND WATER HANDLING EQUIPMENT				
296	FIELD SHOWERS AND SUPPORT				
297	WS-D	1	2-stall shower shelter with zippered doors	\$ 1,534	114
298	DDP550	1	Shower sump with pickup and hose	\$ 263	14
	DDP550PCSB	1	Shower Sump Pump Kit with protective case and remote switch	\$ 532	13
299			option		
300	WSD-SC	1	Shower Caddy	\$ 65	2
301	WSD-DB	1	Shower Dry Bag	\$ 45	6
	ST33	1	3' X 3' Elevated Flexible Matting FOR WS-510 (requires three mats)	\$ 67	10
302					
303					
304	FIELD WATER HEATERS				
305	WS-12A	1	Propane fired field water heater, aluminum case	\$ 1,757	82
306	WS-12WK	1	Wheel kit for water heater	\$ 61	5
	WS-DWHM350	1	Water Dragon I Diesel Water Heater System, on-demand, 12 gpm at 110 psi. Includes foam-filled wheels.	\$ 8,144	460
307	WS-DWHM650	1	Water Dragon II Diesel Water Heater System, on-demand, 16 gpm at 130 psi. Includes foam-filled wheels.	\$ 9,281	510
308					
309					
310	FIELD SINKS				
311	WS-S3A	1	Triple-basin sink, aluminum field case	\$ 1,572	94
312					
313	WATER DISTRIBUTION				
314	EJ-110	1	Primary distribution pump, discharge manifold	\$ 469	32
315	ECO-25	1	25' lightweight distribution hose	\$ 27	1
316	ECO-50	1	50' lightweight distribution hose	\$ 36	1
	WDK-10SKM	1	Water Distribution Kit - will support up to 4-Head WS-D Shower System and 3-Gang Sink. Military Fittings Kit. Cased in WS-2060.	\$ 3,932	195
317					

	A	B	C	D	E
1	PART NUMBER	QNTY	DESCRIPTION	CONTRACT UNIT PRICE (EACH)	UNIT WEIGHT-lbs†
318	WATER CONTAINMENT AND STORAGE				
319	TTP-500	1	500-gallon potable water containment bladder, fully plumbed	\$ 573	39
320	TTG-500	1	500-gallon gray water containment bladder, fully plumbed	\$ 573	39
321					
322	WATER PURIFICATION				
323	AC201-2	1	Portable field water purification system kit - Non-salt water filtration system filters or destroys 99.9% of all chemical and microbiological contaminants.	\$ 2,747	61
324	AC201-2	1	Purification system in carry case		
325	AC201-SPK	1	Purification system spare parts kit		
326					
327	SANITATION KITS, PRODUCTS, and SUPPLIES				
328	<p>As the primary provider for logistics support for the nation's disaster response teams, Western Shelter relies on the Brief Relief™ product to provide in-the-field personal hygiene for team members, patients, and other field operation personnel. GateKeeper Hygiene Center utilizes the Brief Relief disposable pouch systems for its toilet unit.</p> <p>Brief Relief™, a disposable urinal bag for use by men and women, and Disposa-John™, the solid waste version, contain a proprietary blend of polymers and enzymes designed to encapsulate waste and turn it into a semi-solid gel that is EPA legal for disposal in landfills in all 50 U.S. states.</p>				
329	FIELD LAVATORY KITS				
330	WS-BRRF	1	Portable Single-Stall Field Relief Station Kit	\$ 3,278	347
331	WS-RF	1	1-stall field relief privacy tent with rigid frame, collapsible floor and toilet cabinet, and one WS-RF3 kit.		
332		1	Aluminum frame		
333		1	Cover Set- Walls & Roof		
334		1	Collapsible floor & toilet cabinet		
335	WS-RFC	1	Relief Station Caddy		
336		1	One-piece collapsible floor and toilet cabinet		
337		1	Collection poly-box		
338	WSRF-3	1	Sampler kit of liquid and solid waste disposable pouches, collection containment bags with disposable gloves. Re-order information included.		
339	BR500	3	Disposa-John™ Portable Restroom - gas impervious bag and liner for solid waste. Includes toilet paper and antiseptic wipes.		
340	BR608	3	Brief Relief™ liquid waste pouch - includes antiseptic wipe.		
341		3	Pairs of Nitrile Gloves		
342		3	Poly Bag		
343		3	Zip Ties		
344		1	Reorder information sheet		
345	BR608	4	Cases of Brief Relief pouches (100 pouches per case)		
346	BR500	3	Cases of Disposa-John pouches (100 pouches per case)		
347	WS-RFC	1	One Field Caddy Dispenser for Brief Relief product		
348	WS-2070	1	WS-2070 - 86"x30"x15" aluminum storage/transport case with recessed latches/handles		

	A	B	C	D	E
1	PART NUMBER	QNTY	DESCRIPTION	CONTRACT UNIT PRICE (EACH)	UNIT WEIGHT-lbs†
349	FIELD RELIEF				
350	WS-RF	1	1-stall field relief privacy tent with rigid frame, collapsible floor and toilet cabinet, and one WS-RF3 kit.	\$ 1,288	110
351		1	Aluminum frame	Included	
352		1	Cover Set- Walls & Roof	Included	
353		1	Collapsible floor & toilet cabinet	Included	
354	WS-RFC	1	Relief Station Caddy	Included	
355		1	One-piece collapsible floor and toilet cabinet	Included	
356		1	Collection poly-box	Included	
357	WSRF-3	1	Sampler kit of liquid and solid waste disposable pouches, collection containment bags with disposable gloves. Re-order information included.	Included	
358	BR500	3	Disposa-John™ Portable Restroom - gas impervious bag and liner for solid waste. Includes toilet paper and antiseptic wipes.	Included	
359	BR608	3	Brief Relief™ liquid waste pouch - includes antiseptic wipe.	Included	
360		3	Pairs of Nitrile Gloves	Included	
361		3	Poly Bag	Included	
362		3	Zip Ties	Included	
363		1	Reorder information sheet	Included	
364	FIELD RELIEF SUPPLIES				
366	WS-RF12	1	12-pack of replacement containment bags	\$ 45	3
367					
368	STORAGE CASES				
369	Consultation with Western Shelter for packing scheme recommended prior to case selection.				
370	WS-2020	1	Storage Case, 94"x18"x21"	\$ 830	76
371	WS-2045TC	1	Storage Case, 78"x30"x12" with Table Leg Kit	\$ 1,101	94
372	WS-2060	1	Storage Case, 28"x34"x21"	\$ 519	44
373	Customer identification on case inventory labels upon request.				
374					
375	STORAGE AND TRANSPORT TRAILERS				
376	Trailers available from 12' to 53', customized to your specifications by Western Shelter Mobility Systems.				
377	GK-20ST	1	Storage/Transport Trailer, 20' Length, 14K GVW, 2-Axle, E-Track tie-down system and ratchet tie-down straps.	\$ 15,812	4996
378	GK-24ST	1	Storage/Transport Trailer, 24' Length, 14K GVW, 2-Axle, E-Track tie-down system and ratchet tie-down straps.	\$ 17,800	5580
379	GK-28ST	1	Storage/Transport Trailer, 28' Length, 21K GVW, 3-Axle, E-Track tie-down system and ratchet tie-down straps.	\$ 21,316	6396
380	Call Western Shelter for quotes on smaller and larger trailers.				

	A	B	C	D	E
1	PART NUMBER	QNTY	DESCRIPTION	CONTRACT UNIT PRICE (EACH)	UNIT WEIGHT-lbs†
381	Trailer and Vehicle Options				
	VC-CBTA	1	GateKeeper Vehicle Connector Boot for Trailer/Ambulance – Avoid bad weather while loading/unloading patients from an ambulance and goods from a trailer into your shelter through this enclosed Connector Boot. Fits both GK/HO20 and GK/HS1935 shelters. When used as an ambulance dock, we recommend adding the optional VE-GK-ISO Entryway Isolation Upgrade Double Door Kit to replace the push-through curtains.	\$ 3,996	124
382					
383	MTL-BBACBTA	2	Base Bar Assembly		
384	MTL-BBTECBTA	1	Base Bar Trailer End		
385	MTL-BBCBTA	2	Base Bar, Connector Boot		
386	MTL-EBACBTA	2	Eave Bar Assembly, Connector Boot		
387	MTL-EBCBTA	2	Eave Bar, Connector Boot		
388	MTL-RDBCBA	1	Ridge Bar, Connector Boot		
389	FL-CBTA	1	Flooring System, Connector Boot		
390	VC-RPCBTA	1	Roof Panel with Integrated Insulation, Connector Boot		
391	VC-WPCBTAR	1	Wall Panel, Right of Door		
392	VC-WPCBTAL	1	Wall Panel, Left of Door		
393	VC-PTCA	1	Vestibule Privacy Curtain		
394	HW-CBTA	1	High Wind Tie Down, 4 Piece for Connector Boot		
395	BG-CBTA	2	Bag, for Connector Boot		
396					
	GK-20CCST	1	Optional Trailer Command Center, 8' desk top with center cabinet base and four overhead cabinets. Mounted in nose of trailer.	\$ 2,065	244
397					
	GK-STHVAC	1	Optional Trailer Rooftop HVAC with electrical upgrade to 50 Amp	\$ 2,151	
398					
399	GK-STA20	1	Optional Trailer Roll-Out Awning, to fit 20' trailer	\$ 1,074	93
400	GK-STA24	1	Optional Trailer Roll-Out Awning, to fit 24' trailer	\$ 1,367	102
401	GK-STHS	1	Hanging Shelves for Storage/Transport Trailer.	\$ 480	
	GK-STSTK	1	Spare Tire Kit. Includes ST235/85R16 F-rated spare tire w/ silver wheel, spare tire carrier w/ cover-tongue mounted, 3-ton floor jack, and lug wrench.	\$ 736	
402					

	A	B	C	D	E
1	PART NUMBER	QNTY	DESCRIPTION	CONTRACT UNIT PRICE (EACH)	UNIT WEIGHT-lbs [†]
403	TERMS AND CONDITIONS				
404	Possession of this price list does not constitute an offer to sell. Company and Product trademarked names are property of Western Shelter Systems or its suppliers. As part of our Continuous Product Improvement, Western Shelter Systems reserves the right to change specifications and design without notice.				
405					
406	TERMS: Net 30 days upon approval				
407					
408	FOB Point: 815 Conger Street, Eugene, OR 97402				
409					
410	WARRANTY:				
411	Western Shelter Systems warrants all products against defects in materials or workmanship for a period of one year from the date of manufacture. No warranty is made or implied regarding the intended use of the product. Warranty does not cover damaged caused by abuse, misuse, neglect or improper care by the end user in the application of the Western Shelter Systems product. Western Shelter Systems will repair or replace any component deemed to be faulty from the manufacture in the most efficient and timely means available to Western Shelter Systems. All claims must be authorized by Western Shelter Systems prior to any action taken by the end user. For immediate attention regarding any defective product, please phone customer service at: 1-800-971-7201.				
412					
413	†All weights are approximate.				
414	GSA contract items available under GSA contract #GS-07F-8700C.				
415					
416					